

**Sie können fast alle aufgeführten Artikel gegen einen Unkostenbeitrag bestellen
bei: erika.toman@hohenegg.ch**

Legende

(G) = Allgemein

(A) = Anorexie

(B) = Bulimie

(O) = Adipositas (Obesity)

INHALTSVERZEICHNIS

Autor	Titel	Zeitschrift/Buch	Band/Jg.
Th. Abel/E. Walter St. Niemann/ R. Weitkunat	The Berne-Munich Lifestyle Panel Background and baseline results from a longitudinal health lifestyle survey Health lifestyles are explained as the product of the complex interplay between Health related behaviours, orientations and social resources. Residents of Berne (Switzerland) and Munich (Germany) in the age between 55 and 65 years = 152 b (Bern) + 1913 (München)	Soz.-Präventivmedizin	44; 91-106 1999 (G)
Abraham, S.F. Mira, M.	Bulimia: A study in outcome	Int. Journal of Eating Disorders	2; 4; 175-180 1983 (B)
Ackermann; D. Niklowitz; M.	Kostensteigerung und Inanspruch- nahme von Spitex-Leistungen bei Betagten	Forschungsbericht der Abteilung für Psychosoziale Medizin	6; 1994; (G)
W.S. Agras E.M. Rossiter	One-year follow-up of psychosocial and pharmacologic treatments for bulimia nervosa	J. Clin. Psychiatry	55; 5; 179-183; 1994 (B)
W. S. Agras/ S.J. Crow et al.	Outcome Predictors for the Cognitive Behavior Treatment of Bulimia Nervosa: Data from a multisite study	Am Journal Psychiatry	157:1302-1308 2000 (B)
S. Albert et al.	Prä- und postoperative Transaminasenveränderungen im Rahmen der Magenbandein-Lage bei morbider Adipositas	Praxis	90; 1459 – 1464; 2001 (A)
D. B. Allison/ St. Heshka	Emotion and eating in obesity? A critical analysis	Int. Journal of Eating Disorders	13; 3; 289-295 1993 (O)
N. Andreani-Kern	Anorexie und Bulmie im Spiegel von Familienzeichnungen	Lizenziatsarbeit der Phil. Fakultät I der Universität Zürich	1996 (G)
American Psychiatric Association	Practice Guide for Eating Disorders	Am J Psychiatry 150:2	212-228 1993 (G)

A. E. Andersen/ P. J. Woodward/ A. Spalder/M. Koss	Body size and shape characteristics of personal ("in search of") ads	Int. Journal of Eating Disorders	14; 1; 111-116 1993
B. Arnow/ J. Kenardy	Binge Eating among the Obese: A descriptive study	J. of Behavioral Medicine	15; 2; 155- 170 1991
J. C. Appolinario et al.	Topiramate for Binge-Eating Disorder	Am J Psychiatry	158:6; 2001
K. April	Entstehung und Behandlung der Adipositas	speziell	3; 2001
R. Atkinson/A. Fuchs J. Pastors/T. Saund.	Combination of very-low-calorie Diet and behavior modification in the treatment of obesity	Am J Clin Nutrition	56; 199S-202S 1992
Bachmann M.	Alkoholismus -Essucht - Mager-sucht. Ein Vergleich	Psychother. med. Psychot.	33; 111-116; 1983
Beobachter	Körpergewicht: Weniger ist nicht immer mehr	Beobachter	3; 57-59; 1998
R. Bakan/ C. L. Birmingham/ L. Aeberhardt/ E. M. Goldner	Dietary zinc intake of vegetarian an nonvegetarian patients with Anorexia Nervosa	Int. Journal of Eating Disorders	13; 2; 229-233 1993
L. Bandini/W. Dietz	Myths about childhood obesity	Pediatric annals	21:10 (O) October 92
	<i>In practice, the myth that childhood obesity is impossible to treat justifies doing Nothing. Most obese children do not become obese adults. 74 % of obese infants and children were not obese 20 years later. Obese adults with onset in childhood or adolescence tend to be fatter than those who became obese as adults. At both lunch and dinner, the obese boys consumed more food than their nonobese brothers.</i>		
Baran, S.A. Weltzin, T.E.	Low discharge weight and outcome in anorexia nervosa	Am J Psychiatry	152:7; 7; 1070- 1083; 1995
BASF Pharma/ Knoll	Basisinformation von Reductil und Adipositas		Juli 1998 (O)
M. Bassler H. Krauthauser	Zur Evaluation des therapeutischen Prozesses von stationärer Psychotherapie mit der Repertory-Grid-Technik	Psychotherapie, Psychosomatik med. Psychologie	46; 29-37 1996
A. Benecke/ J. Majewski	Psychologische Begutachtung adipöser Patienten vor chirurgischen Adipositastherapie	Sammelartikel in Abstracts 2000/1	(O)

Benninghoven, D.	Tagebuchtechniken in der Therapie der Essstörungen	In: Psychotherapie der Essstörungen G. Reich, M. Cierpka (Hrsg.) Thieme, Stuttgart, N.Y. 1997; 151-169	(G)
Bernath, B.	Neue Wege der Therapie (Bericht über das interdiszipl. med. Rehabilitationszentrum für Psychosomatik, Zürich)	Meyers Modeblatt 46; 12.11.1998	(G)
M. Biedermann	„Das war nicht ich – das war der Wolf“ – Ueber das Dämonische in den Essstörungen	Arbeitsgemeinschaft AES	Nov. 18, 1999 (G)
L. Bilker	Male or female therapists for Eating-disordered adolescents: Guidelines suggested by research and practice <i>There is little research on this subject related to eating-disordered female adolescents. Therapist and patient preferences, the patient's traumatics experiences, enmeshed versus disengaged patient relationships, patient resistance, and therapist's comfort with both their male and female sides are variables related to preferred assignment.</i>	Adolescence	Vol. 28, No. 110, 1993 (G)
H. Björvell/S.Rössner	Long term treatment of severe Obesity: four year follow up of Results of combined behavioural Modification programme 30 % Gewichtsabnahme nach 48 Monaten!!! Kiefer vernäht versus normaler Mund-situation. Normale Situation gleich erfolgreich.	British Medical Journal	Vol. 291, 1985 (O)
D. W. Black/ B. Rise	Prevalence of mental disorder in 88 morbidly obese bariatric clinic Patients	Am. J. Psychiatry	149; 2; 227- 234; 1992 (O)
D. Black/D. Dawson D. Wood	The Rhodes Farm Project A Unique Residential Treatment Setting for Early-Onset Anorexia Nervosa Patients	ACPP Review & Newsletter	Vol. 17; No. 2 1995 (A)
Böhle, A.	Die soziale Integration von Patientinnen mit Anorexia nervosa und Bulimie	Zsch. Psychosom. Med.	37; 282-291; 1991 (G)
O. B. Bonne M. Bloch/E. M. Berry	Adaptation to severe chronic-hypokalemia in Anorexia nervosa A plea for conservative Management	Int. Journal of Eating Disorders	13; 1; 125-128 1993 (A)
Boothe; B.	Grenzen psychotherapeutischer Wirksamkeit bei magersüchtigen Patientinnen	Zeitschr. psychosom. Med.	37; 249-258; 1991; (A)
Boothe; B.	Beziehungsdynamik bei Magersüchtigen	Psychodynamik	(A)
E. Bormann Spurrel Bossert; S.	Age of onset for binge eating: Are there different pathways to Integratives stationär-ambulantes	Int. Journal of Eating Disorders Psychother. med. Psychol.	21; 1; 55-65 37; 331-336;

Schnabel; E.	Therapiekonzept bei Patienten mit anorexia nervosa: ein revidierter Therapieansatz		1987; (A)
Bouchard; C: Tremblay A.	The response to long-term over-feeding in identical twins	The New England Journal of Medicine	21, 1477-1482 1990 (O)
Bray; G.A. York; D.A.	Hypothalamic and genetic Obesity in experimental animals: an aonomic and endocrine hypothesis	Physiological Review	59; 3; 719-809 1979 (O)
G. A. Bray	Effects of Obesity on Health and Happiness	Handbook of ED	3-44, 1986 (O)
A.W. Brotman/ D.B. Herzog	Long-term course in 14 bulimic patients treated with psychotherapy	J.Clin. Psychiatry	49; 4; 157-160; 1988 (B)
K. D. Brownell/ Th. A. Wadden	Behavior Therapy for Obesity: Modern approaches and better Results	Handbook for Eating Disorders	1996 (O)
K. D. Brownell/ J. P. Foreyt	Physiology, Psychology and Treatment of Obesity, Anorexia And Bulimia	Basic Books, Inc. Publishers	1986 (O)
B. Brusset/ C. Couvreur	Narzissstische und objektbezogene Fehlregulierungen in der Bulimie	La boulimie (PUF)	S. 81-104 1991 (B)
Buddeberg-Fischer; B.	Systemisch-psychodynamische Therapie der anorexia nervosa	System Familie	3; 11-22; 1990; (A)
Buddeberg-Fischer; B.	Störungen des Essverhaltens - Früherkennung und Behandlungsmöglichkeiten in der hausärztlichen Praxis	Praxis	86; 1209-1212; 1997 (G)
Budowski; M. Ackermann; D.	Zweimalige Betagtenbefragung im Projekt SUGES: Beschreibung der Stichprobe	Forschungsbericht der Abteilung für Psychosoziale Medizin	4; 1995; (G)
R. Burkett/L. Schramm	Therapists' attitudes about treating Soughern Medical Association Patients with eating disorders		October 1993 (G)
<i>Guter Basis-Artikel für neue Arbeit. Twenty-eight respondents (31 %) desired not to treat such patients.</i>			
Cachelin F. M./ Striegel R./K. Elder	Natural Course of a Community Sample of Women with Binge Eating Disorder	Int. J. of Eating Disorders	45-54, 1999 (O)

Carlat; D.J. Camargo; C. A.	Review of Bulimia nervosa in males	Am J. Psychiatry	148; 7; 831-843; 1991;(B)
Carlat; D.J. Camargo; C.A.	Eating disorders in males: A report on 135 patients	Am J Psychiatry	154; 8; 8; 1997 1127-1132(G)
A. Catina S. Boyadjieva M. Bergner	Social Context, Gender Identity and Eating Disorders in Western and Eastern Europe: Preliminary Results of a Comparative Study	European Eating Disorders Review	4 (2), 150.1-7 1996 (G)
A. Catina/ V. Tschuschke	A Summary of Empirical Data from the Investigation of Two Psychoanalytic Groups by Means of Repertory Grid Technique	Group Analysis (SAGE, London Thousand Oaks and New Delhi)	Vol. 26, 1993 (G)
D. N. Clinton	Why do eating disorder patients drop out? <i>Lack of congruence between patients' and therapist's expectations of potential Treatment interventions was associated with increased risk of dropout, whereas other patient-, therapist- and treatment-specific factors were not. In particular, dropouts had significantly greater expectations of being helped by insight-related interventions than their therapists. Conclusions: Dropout among eating disorder patients appears to be related to the patient-therapist relationship.</i>	Psychother Psychosom	65; 29 – 35 1996 (G)
S. Coker 40Ch. Vize/T. Wade P. J. Cooper	Patients with Bulimia Nervosa who fail to engage in cognitive behavior therapy	Int. Journal of Eating Disorders	13; 1; 35-1993 (B)
D. A. Collier/ P.C. Sham/ M.J. Arranz, X. Hu J. Treasure	Commentary: Understanding the Genetic Predisposition to Anorexia Nervosa	European Eating Disorders Review	7, 96-102 (1999) (A)
S. Collins	The limit of human adaptation to starvation	Nature Medicine	1; 8; 810-814 1995 (G)
S. Collings/ M. King	Ten-year follow-up of 50 patients with bulimia nervosa	British. J. of Psychiatry	164; 80-87; 1994 (B)
F. Connan/ J. Treasure	Working with adults with anorexia nervosa in an out-patient setting <i>Gut als Manual für Hausärzte</i>	Advances in Psychiatric Treatment	Vol. 6, 135-144 2000 (A)
J. Cox/St. Kreitzman A. Coxon/J. Walls	Long-term outcome of a self-help very-low-calorie-diet weight-loss program	Am J Clin Nutrition	56; 279S-80S 1992 (O)
A.H. Crisp/ K. Norton	A controlled study of the effect of therapies aimed at adolescent and family psychopathology in anorexia nervosa	British J. of Psychiatry	159; 325-333; 1991 (A)
R. D. Crosby/ J. E. Mitchell/	Survival analysis of response to group psychotherapy in Bulimia Nervosa	Int. Journal of Eating Disorders	13; 4; 359-368 1993 (B)

J.H. Crowther/ V. M. Lingswiler	The topography of binge eating	Addictive Behaviors	9; 299-303; 1984 (B)
Csef, H.	Psychotherapie der Magersucht und Bulimia nervosa	Psychotherapeut	42; 381-392; 1997 (G)
R.E. Cuellar/ D.H. Van Thiel	Gastrointestinal consequences of the eating disorders: Anorexia nervosa and bulimia	The American J. of Gastroenterology	81; 12; 1113- 1121; 1986 (G)
R.E. Cuellar/ D.H. Van Thiel	Gastrointestinal consequences of the eating disorders: Anorexia nervosa and bulimia	The American J. of Gastroenterology	81; 12; 1113- 1121; 1986 (G)
C. Dare	Symptoms and systems: an exploration with anorexia nervosa	Journal of Family Therapy	11; 21-34 1989 (A)
Davis, C.	Eating disorders and Hyperactivity: A psychobiological perspective	Can. J. Psychiatry	42; 168-175; 1997 (G)
J. de Groot et al.	Coming alive : The psychothera- Peutic treatment of patients with Eating Disorders	Can J Psychiatry	Vo. 43; 359-366 1998 (G)
H.C. Deter/ W. Herzog	Anorexia nervosa in long-term perspective: Results of the Hei- delberg- Mannheim study	Psychosomatic Medicine	56; 20-27; 1994 (A)
Deter H.-C.; Köpp W; Zipfel S.; Herzog W.	Männliche Anorexia-nervosa- Patienten im Langzeitverlauf	Nervenarzt	69; 419-426; 1998 (A)
D.M. Dreon/ B. Frey-Hewitt	Dietary fat: carbohydrate ratio and obesity in middle-aged men	Am Journal of Clinical Nutrition	47; 995-1000 1988 (G)
H.C. Deter R. Manz	Körperbildstörungen von Anorexia nervosa-Patienten 12 Jahre nach der klinischen Vorstellung	Psychother. Psychosom. med. Psychol.	47; 1-11 1997 (A)
Deter, H.-C. Petzold, E.	Differenzierung der Langzeit- wirkung einer stationären psycho- s somatischen Therapie von Anorexia nervosa Patienten	Zschr. Psychosom. Med.	35; 68-91; 1989 (A)
H.C. Deter R. Manz	Körperbildstörungen von Anorexia nervosa-Patienten 12 Jahre nach der klinischen Vorstellung	Psychother. Psychosom. med. Psychol.	47; 1-11 1997 (B)
Diebel-Braune; E.	Einige kritische Überlegungen zum Stand der psychoanalytischen Bulimie-Diskussion	Zsch. psychosom. Med.	37; 292-304; 1991; (B)
J. M. Diehl/T. Paul	Relativgewicht und Persönlichkeit Analysen mit dem Freiburger Persönlichkeitsinventar	Akt. Ernährung	10; 14-23 1985 (O)

J.M. Diehl/T. Paul	Relativgewicht und Persönlichkeit Akt. Ernährung Literaturübersicht		9; 220-232 1994 (O)
Dippel; B. SchnabelE.	Vom Lernprozess im Umgang mit bulimischen Patienten	Prax. Psychother. Psychosom.	33; 21-34; 1988 (B)
D.M. Dreon/ B. Frey-Hewitt	Dietary fat: carbohydrate ratio and obesity in middle-aged men	Am Journal of Clinical Nutrition	47; 995-1000 1988 (G)
Drewnowski A./ D. K. Yee	Bulimia in college Women: Incidence and Recovery Rates	American Journal of Psychiatry	145; 6; 753- 755; 1988(B)
Drewnowski A./ D. K. Yee	Eating Pathology and DSM-III-R Bulimia Nervosa: A Continuum of Behavior	American Journal of Psychiatry	151; 8; 1217- 1219; 1994 (B)
B. Dritschel/ P. J. Cooper/ D. Charnock	A problematic counter-regulation experiment: Implications for the link between dietary restraint and Overeating	Int. Journal of Eating Disorders	13; 3; 297-304 1993 (O)
Edelman B.	Binge eating in normal weight and overweight individuals	Psychological Reports	49; 739-746; 1981 (O)
S. Egger et al.	Uebergewicht und Adipositas im Kantons Zürich	Praxis 2001 (Originalartikel)	90; 531-538 2001 (O)
G. Ehle	Experiences with „Planned“ Dynamic Group Psychotherapy of Patients with Anorexia Nervosa	Group Analysis (SAGE, London Newbury Park and New Delhi)	Vol. 25, 1992 43 – 53 (A)
Ehlers A./ Gieler U.	Treatment of Atopic Dermatitis: A comparison of Psychological and Dermatological Approches to Relapse Prevention	Journal of Cosuiting and Clinical Psychology	63; 4; 624-635 1995 (G)
Eidgenössische Ernährungs- kommission	Empfehlungen für eine gesunde Ernährung	Bulletin des Bundesamtes für Gesundheitswesen	11.12.1995; 3 (G)
Eissing/D. Wälte M. Kröger	Der kleine Unterschied ? Eine Untersuchung zur ge- schlechtstypischen Wahrneh- mung in Essstörungs- und nichtklinischen Familien	System Familie	12:25-31 (1999) (G)
Ellison, Z./ Foong, J./ Howard, R. et al.	Functional anatomy of calorie fear in anorexia nervosa (Research letter)	Lancet	352; 1192; 1995 (A)
K. Engel/ D. Höhne	Prävalenz anorektischen Ver- haltens in einer Normalpopula- tion	Psychosom. Medizin	35; 117-129; 1989 (G)

Engel K.; Meyer A.-E.	Therapie schwer erkrankter Anorexie-Patienten (Zusammenfassender Bericht über ein Forschungsprojekt)	Zsch. psychosom. Med.	37; 220-248; 1991 (A)
Ettl; T.	Bulimia nervosa - die heimliche unheimliche Aggression	Zeitschr. f. psychoanal. Theorie und Praxis	III, 1; 48-75; 1988; (B)
Ettl. Th.	Die direktive Therapie der Bulimie aus analytischer Sicht.	Zeitschr. f. psychoanal. Theorie und Praxis	XI; 277-304; 1996 (B)
Fahy; T.A. Eisler; I.	Personality disorder and treatment response in bulimia nervosa	British J. of Psychiatry	162; 465-770; 1993; (B)
Ch. G. Fairburn	A cognitive behavioural approach to the treatment of bulimia	Psychological Medicine	11; 707-711; 1981 (B)
Fairburn G./ Kirk J.	A comparison of two psychological Treatments for Bulimia Nervosa	Behavioral Res. Ther.	24; 6; 629-643 1986 (B)
Ch. G. Fairburn/ R. Jones	Three psychological treatments for bulimia nervosa	Arch Gen Psychiatry	48; 463-469; 1991; (B)
Ch. G. Fairburn S. L. Welch Ph. J. Hay	The classification of recurrent overeating: The "binge eating disorder" proposal	Int. Journal of Eating Disorders	13; 2; 155-159 1993; (O)
Ch. G. Fairburn/ R.C. Peveler	Predictors of 12- month outcome in bulimia nervosa and the influence of attitudes to shape and weight	J. of Consulting and Clinical Psychology	61; 4; 696-698; 1993 (B)
Ch. G. Fairburn/ R. Jones	Psychotherapy and Bulimia nervosa: Longer-term effects of interpersonal psychotherapy, behavior therapy and cognitive behavior therapy	Arch Gen Psychiatry	50; 4; 419-428; 1993 (B)
Ch. G. Fairburn/ P. A. Norman	A prospective study of outcome in bulimia nervosa and the long-term effects of three psychological treatments	Arch Gen Psychiatry	52; 6; 304-312; 1995 (B)
C.G. Fairburn/ B. A. Fallon/ T. Walsh	Entwicklung der diagnostischen Outcome and clinical course in inpatient bulimic women: A 2- to 9-year follow-up study	J. Clin. Psychiatry	52; 6; 272-278; 1991 (B)
M. Fava/ D. B. Herzog/ P. Hamburg/ H. Riess / St. Anfang/ J. F. Rosenbaum	Long-term use of Fluoxetine in bulimia nervosa: a retrospective study	Clinical Psychiatry	2; 53-56, 1990 (B)
Fava, M.	Eating disorder symptomatology	J. of Nervous and	185,3; 140-

Abraham, M.	tology in Major Depression	Mental Disease	144; 1997 (G)
Fenfluramin	Appetitzügler z.B. Ionamine	Pharma-Kritik	19; 4; S.14; 1997 (G)
Fchter; M. M. Keeser; W.	Das Anorexia-nervosa- Inventar zur Selbstbeurteilung	Arch. Psychiat. Nervenkr.	228; 67-89; 1980; (A)
Fichter; M. Chlond, C.	Hypertrophe Osteoarthropathie bei Bulimia nervosa mit chronischer Intoxikation mit Laxantien	Der Nervenarzt	59; 244-247; 1988; (G)
Fichter; M. Chlond, C.	Hypertrophe Osteoarthropathie bei Bulimia nervosa mit chronischer Intoxikation mit Laxantien	Der Nervenarzt	59; 244-247; 1988; (B)
Fichter; M.M. Elton; M.	Structured interview for anorexia und bulimia nervosa (SIAB): Development of a new instr ment for the assessment of eating disorders	Int. J. of Eating Disorders	10, 5, 571-592; 1991; (G)
M.M. Fichter/ N. Quadflieg	Recurrent overeating: An em- pirical comparison of binge eating disorder, bulimia nervosa and obesity	Int. J. of Eating Disorders	14; 1; 1-16 1993; (O)
Fichter M.M.; Quadflieg N.; Rief W.	Longer-term course (6-year) course of bulimia nervosa (aus Abstrct-Reihe: Binge eating In obesity and bulimia nervosa: from theory to treatment)	Neuropsychopharmacology	10; 3S; Abstr. S-183-779; 1994 (B)
R. Fisch/W. Ugarte	Richtlinien für die Abfassung einer wissenschaftlichen Arbeit auf dem Gebiet der Psychologie	Psychologische Rundschau	28; 153-174 1977 (G)
Fitzgerald; F.T.	The problem of obesity	Ann Rev Med	32; 221-231; 1981 (O)
M. L. Fitzgibbon/ D.S. Kirschenbaum	Heterogeneity of clinical presen- tation among obese individuals seeking treatment	Addictive Behaviors Pergamon Press	15; 291-295; 1990: (O)
D. Flanagan/ H. Wagner	Expressed emotion and panic- Fear in the prediction of diet treatment compliance	British Journal of Clinical Psych.	30; 231-240 1991 (O)

The results indicated that the obese patients showed more anxiety (measured by the panic-fear scale) than did the control subjects. Compliant patients had lower panic-fear scores than did non-compliant patients, and patients living with a high EE relative were much less likely to comply with treatment than were those living with a low EE relative. Patients with a high EE relative were more likely to have a high panic-fear score. The results suggest that dietary treatments for obesity need to be

accompanied by both individual and family behavioural interventions.

"Sehr interessanter Artikel als Gegenpol zur Theorie Adipositas hat keine psychologische Gründe."

J. Fleming/ G. Szmukler	Attitudes of medical professionals towards patients with eating disorder. <i>Journal of Psychiatry</i> <i>352 medical and nursing staff in a general hospital. Patients with eating disorders were less liked than patients with schizophrenia and were seen as responsible for their illness almost to the same degree as recurrent overdose takers. Factor analysis showed a first factor in which patients with eating disorders were construed as vulnerable to external pressures (from others, the media) while also self-inducing their illness, and this was associated with treatment recommendations for education, urging the patient to take self-control and psychotherapy. The professions differed significantly in attitudes.</i>	Australian and New Zealand 26; 436-443 1997 (G)
Fluoxetine Bulimia nervosa collaborative study group	Fluoxotine in the treatment of Bulimia nervosa	Arch. Gen. Psychiatry 49; 2; 139-147 1992 (B)
H.P. Flury/E. Toman	The History and Structure of Care Take of Patients with Eating Disorders in Switzerland	European Eating Disorders Rev. 2000 (G)
Fontaine; K.R. Cheskin, L. J.	Health-related quality of life in obese persons seeking treatment	The J. of Family Practice 43; 3; 265-270 1996 (O)
J. L. Fowler/ M. J. Follick/ D. B. Abrams	Attendance and outcome in a worksite weight control program: processes and stages of change as Process and predictor variables <i>Change processes employed during the early portion of the group treatment were The best predictors of treatment attendance and outcome, superior to self-efficacy, Social support, weight history and demographic variables. The results supported A transtheoretical model that emphasizes dynamic processes and stages as core Dimensions for understanding how people change.</i>	Addictive Behaviors Vol. 17; 35-45 1992 (G)
D. L. Franko B. E. Walton	Pregnancy and Eating Disorders: A review and clinical Implications	Int. Journal of Eating Disorders 13; 1; 41-48 1993 (G)
D. L. Franko et al.	Pregnancy Complications and Neonatal Outcomes in Women With Eating Disorders	Am J Psychiatry 158; 9; 2001 (G)
C.P.L. Freeman/ F. Barry	Controlled trial of psychotherapy for bulimia nervosa	British Medical J. 296; 2; 521-525; 1988 (B)
R. J. Freeman/ B. Beach	The prediction of relapse in bulimia nervosa	J. Psychiat. Res. 19; 2/3; 349-353; 1985 (B)
Freeman; C.P.	A practical guide to the treatment of bulimia nervosa	J. of Psychosomatic Research 35; 1; 41-49; 1991 (B)
Frei S; Bachmann-Guglielmetti S.	Broschüre über Essstörungen	Beratungsstelle für Essstörungen 1998 (G)
French; S.A.	Sexual orientation and prevalence	Int. J. of Eating Disorders 19; 2; 119-126;

Story; M.	of body dissatisfaction and eating disordered behaviors: A population-based study of adolescents		1996	(G)
K. Freund/S. Graham L. Lesky/ M. Moskowitz	Detection of bulimia in a primary care setting <i>"no" response to the question "Are you satisfied with your eating patterns?" or a "yes" response to "Do you ever eat in secret?" had a sensitivity of 1.00 and a specificity of 0.90 for bulimia.</i> <i>2 signifikante Fragen für Screening der Bulimie.</i>	J Gen intern medicine	8; 236 – 242 1993	(B)
M. A. Friedman/ K. D. Brownell	Psychological Correlates of Obesity: Moving to the Next Research Generation	Psychological Bulletin	Vol. 117; No. 1 3-20, 1995	(O)
	The resulting conclusion, that obesity does not carry risk for psychological problems, is similar to clinical impression, reports showing strong cultural bias and negative attitudes towards obese persons. First generation of studies in the field and a second generation of studies begin with a risk factor model to identify the individuals who will suffer from their obesity. A third generation of studies causal pathways linking obesity to specific areas of distress.			
S. S. Friedman	Girls in the 90s: A gender-based model for eating disorder prevention	Patient Education and Counseling	Vol. 33, 217 – 224, 1998	(G)
R. Gallop/S. Kennedy D. Stern	Therapeutic alliance on an in-patient unit for eating disorders <i>The therapeutic alliance as measured by the working alliance inventory was examined on an inpatient unit for eating disorders. Unit staff and patients (n = 33) admitted within a 2-year period completed the rating scales at 3 weeks after admission and again at 8 weeks. The perception of the alliance strengthened over time for patients while staff perceptions did not. Little correlation was observed between staff and patient perceptions of the alliance.</i>	Int. Journal of eating disorders	Vol. 16; No. 4 405 – 410 1994	(G)
P. Garlipp et al.	Behandlungsabbruch in der psychiatrischen Tagesklinik	Psychiatr. Praxis	28; 262-266 2001	(G)

Garner D.M.; Rockert W.; Olmstedt P.; et al.	Die Auswirkungen von Diät und Hungern auf das Verhalten	Handbook of psychotherapy for anorexia nervosa and bulimia	513-752, 1985 (G)
D.M.Garner M.P. Olmstedt J. Polivy	Development and Validation of a Multidimensional Eating Disorders Inventory for Anorexia Nervosa and Bulimia	Int. Eaeting Disorders	2; 14-34, 1983 (G)
D.M. Garner/ S.C. Wooley	Confronting the failure of behavioral and dietary treatment for obesity	Clinical Psychology Review	11; 729-780; 1991 (O)
Garner D. M./ Rochert W.	Comparison of Cognitive-Behavioral and Supportive-Expressive therapy for Bulimia Nervosa	American Journal of Psychiatry	150; 1; 37-45 1993 (B)
D.M.Garner/ M. V. Garner/ L. W. Rosen	Anorexia Nervosa "Restricters" who purge: Implications for subtyping Anorexia Nervosa	Int. Journal of Eating Disorders	13;2; 171-185 1993 (A)
D.M. Garner (Hrsg.)	Academy for eating disorders Newsletter	Academy for Eating Disorders	(G)
D. M. Garner	Eating Disorder Inventory 2	Psychological Assessment Res.	1996 (G)
Gerlinghoff; M. Backmund; H.	Stehlen bei Anorexia nervosa und bulimia nervosa	Fortschr. Neurol. Psychiat.	55; 343-346; 1987; (A)
Gerlinghoff; M. Mai; N.	Erfahrungsgeleitete Entwicklung von Therapiekonzepten bei Anorexia nervosa	Nervenarzt	59; 714-720; 1988; (A)
M. Gerlinghoff H. Backmund	Strukturiertes tagesklinisches Therapie-Programm für Essstörungen	Psychother. Psychosom. med. Psychol.	47; 12-20 1997 (G)
M. Gerlinghoff	Psychosomatische Essstörungen	Handnotizen von H.P. Flury	(G)
Gerd; R.	Der psychiatrische und sozial-kommunikative Befund	Zeitschrift für psychosomatische Medizin und Psychoanalyse	25; 1-16, 1979 (G)
A. Ghosh/ I.M. Marks	Therapist contract and outcome of self-exposure treatment for phobias	British J. of Psychiatry	152; 234-238; 1988 (G)
Gilleard; C. Lieberman; S.	Family therapy for older adults: a survey of professionals' attitudes	J. of Family Therapy	14; 413-422; 1992 (G)
J.A. Goldfein/ B.T. Walsh Goldstein; D.J.	Eating Behavior in binge eating disorder Beneficial health effects of modest weight loss	Int. J. of Eating Disorders International J. of Obesity	14; 2; 427-431; 1993 16; 397-415 1992 (O)

J.A. Goldfein et al.	Cognitive Behavioral Therapy for the Treatment of Binge Eating Disorder: What Constitutes Success?	Am J. Psychiatry	157:7; 2000 (O)
Ie Grange, D. Telch, Ch.F.	Eating disorder and behaviors in 1435 South African Caucasian and Non-Caucasian college students	Am J. Psychiatry	155; 2; 250-254 (G)
T. Greatrex	Annals of patient care: effects of gender on the doctor-patient relationship	M.D. Computing	Vol. 14, No. 4 1997 (G)
Green W. M./ Elliman A.	Cognitive Functioning, Weight Chnage and Therapy in Anorexia Nervosa	Journal of psychiat. Res.	30; 5; 401-410 1996 (A)
Greenfeld; D. Mickley; D.	Hypokalemia in outpatients with eating disorders	Am. J. Psychiatry	152; 1; 60-75; 1995; (G)
Greenfeld; D. Mickley; D.	Hypokalemia in outpatients with eating disorders	Am. J. Psychiatry	152; 1; 60-75; 1995; (G)
A. S. Guarda/ J. Treasure/ M. M. Robertson	Eating Disorders and Tourette Syndrome: A case series of comorbidity and associated ob-Sessive-compulsive symptomatology	CNS Spectrums	Vol. 4, No. 2, 1999 (G)
T. Habermas/ M. Müller	Das Bulimie-Syndrom: Krankheitsbild, Dynamik und Therapie	Nervenarzt	57:122-331 1986 (B)
T. Habermas/ U. Neureither/ M. Müller/U. Horch	Ist die Bulimie eine Sucht? Zur Verlaufsdimension der symptomzentrierten Bulimiebehandlung	Zeitschrift für Psychosomatik Springer-Verlag	 (B)
K. A. Halmi	Eating disorders: Defining the phenotype and reinventing the treatment <i>Target weight at Discharges very important predictor for long term outcome</i>	Am J Psychiatry	156: 11, 1999 (G)
Hannesdottir; H.	Child and adolescent psychiatry in Iceland	Acta Paedopsychiatrica	55; 9-13; 1992; (G)
Hannesdottir; H. Hjörleifsson; E.	Early intervention fpr children in trouble	Acta Paedopsychiatrica	55; 175-177; 1992; (G)
H. Hannesdóttir S. Einarsdóttir	The Icelandic Child Mental Health Study	European Child & Adolescent Psychiatry	4; 237-248 1995 (G)

I. Haisch/J. Haisch	Ursachen und Behandlung der Adipositas	MMG	Vol. 16, 263 – 275 1991 (O)
<i>Biologische Faktoren, Verhalten, Kognitionen und Emotionen, Beziehungsgestaltungen Sowie die Psychodynamik sollten berücksichtigt und nötigenfalls verändert werden. Während für den klinischen Fall Selbstwertstörungen des Adipösen von zentraler Bedeutung sind, lassen sich im Experiment Selbstwertstörungen Stigmatisierter (Adipöser) selten nachweisen. In einer Befragung gleichermaßen adipöser Therapiewilliger und Nichttherapiewilliger finden wir Hinweise darauf, wie sich die kognitiven Prozesse bei beiden Gruppen unterscheiden und unterschiedliche Effekte der äußerlichen, gewichtsbedingten Stigmatisierung hervorrufen. Selbstwertminderung bei stigmatisierten Minoritäten kaum nachweisbar.</i>			
Hay; P.J. Fairburn; C.G.	The classification of bulimic eating disorders: a community based cluster analysis study	Psychological Medicine	26; 801-812 1996 (B)
T. F. Heatherton/ C.P. Hermann	The (mis)measurement of restraint: An analysis of conceptual and psychometric issues	J. of Abnormal Psychology	97; 1; 19-28; 1988 (G)
J. Hebebrand/ J. van der Heyden	Plasma concentrations of obese protein in anorexia nervosa	The Lancet	346; 12; 1624-1625; 1995 (A)
J. Hebebrand/ H. Remschmidt	Anorexia nervosa viewed as an extreme weight condition: genetic implications	Hum Gen	95; 1-11; 1995 (A)
J. Hebebrand M.D. Günther et al.	Prediction of low body weight at long-term follow up in acute Anorexia nervosa by low body weight at referral	Am. Journal Psychiatry	154; 4; 566-569; 1997 (A)
C. P. Herman/ J. Polivy	Anxiety, Restraint and eating behavior	J. of Abnormal Psychology	84; 6; 666-672; 1975 (G)
Herpetz, S. Kocnar, M.	Bulimia nervosa beim männlichen Geschlecht	Zsch. Psychosom. Med.	43; 39-56; 1997 (B)
Herpetz-Dahlmann B.	Anorexia nervosa und Depression	Der Nervenarzt	60; 490-495; 1989 (A)
Herpetz-Dahlmann; B.M.; Wewetzer; Ch.	Course and outcome in adolescent anorexia nervosa	Int. J. of Eating Disorders	19; 4; 335-345 1996 (A)
S. Herpetz M. Kocnar et al.	Bulimia nervosa beim männlichen Geschlecht	Zeitschrift psychosom. Med.	45; 39-56 1997 (B)
S. Herpetz et al.	Komorbidität von Diabetes Mellitus und Essstörungen <i>Ein Vergleich psychologischer Störungs-Merkmale essgestörter und nicht-ess-Gestörter Patienten mit Diabetes mellitus</i>	Psychother. Psychosom. Med. Psychol.	50; 161-168 2000 (G)
S. Herpetz et al.	Psychobiologische Aspekte der	Zeitschr. Psychosomatische	47; 179-204;

	Anorexia nervosa	Med. Psychotherapie	ISSN 1438-3608; 2001 (A)
Herrendorf; G. Hajak; G.	Die ambulante, ganzheitliche, verhaltenstherapeutisch orientierte Gewichtsreduktion (Optifast-Programm)	Nervenarzt	67; 695-700 1996 (O)
	Eine alternative Therapie beim obstruktiven Schlafapnoesyndrom / Die Gewichtsreduktion nach einem Jahr lag im Durchschnitt bei 32,7 +/- 15,8 kg		
D.B. Herzog/ M.B. Keller	Short-term prospective study of recovery in bulimia nervosa	Psychiatry Research	23; 45-55; 1988 (B)
Herzog, T. Stiewe, M.	Borderline-Syndrom und Essstörungen	Psychother. Psychosom. med. Psychol.	45; 97-108; 1995 (G)
Th. Herzog A. Hartmann C. Falk	Symptomorientierung und psychodynamisches Gesamtkonzept bei der stationären Behandlung der Anorexia nervosa	Psychotherapie, Psychosomatik med. Psychologie	46; 11-22 1996 (A)
Th. Herzog/ A. Sandholz	Störungesspezifische konflikt- und symptomzentrierte Kurz-psychotherapie der Bulimia nervosa <i>*Gute Anleitung zu einem spezifischen Behandlungsansatz</i>	Psychotherapeut	42; 106-115; 1997 (B)
Herzog; T. Hartmann; A.	Psychoanalytisch orientierte Behandlung der Anorexia nervosa	Psychother. Psychosom; med. Psychol.	47; 299-315 1997 (A)
W. Herzog/ X. Schweitzer	Anorexia nervosa - Ergebnisse und Perspektiven in Forschung und Therapie	Familiendynamik	02/1994 (A)
M. M. Hetherington A. R. Spalter/ A. S. Bernat/ M. L. Nelson	Eating Pathology in Bulimia Nervosa	Int. Journal of Eating Disorders	13; 1; 13-24 1993 (B)
M. Hodes/ D. Le Grange	Expressed emotion in the investigation of Eating Disorders: A review	Int. Journal of Eating Disorders	13; 3; 279-288 1993 (G)
H. W. Hoek	Review of the epidemiological studies of eating disorders	Int. Review of Psychiatry	5; 61-74, 1993 (G)
H.W.Hoek/A.I.M. Bartelds/J.J.F.Bos- veld/J.van der Graaf/ V.E.L.Limpens/M.Mai- wald/C.J.K.Spaaij	Impact of Urbanization on Detection Rates of Eating Disorders	The American Journal of Psychiatry	1995 (G)
Hoek, H.W./ Van Harten, P.N./	Lack of relation between culture and anorexia nervosa – results	New England J of Medicine	338; 1231, 1998 (A)

Van Hoeken, D./ Susser, E.	of an incidence study on Curaçao (Letter to the Editor)		
Dr. H. Hoek	The Neurobiology of Eating Disorders	New Book Information	546, 1998 (G)
B. Hoffmann-Müller/ Amstad	Körperbild, Gewicht und Essver- halten bei Jugendlichen	Schweiz. Rundschau für Medizin (Praxis)	83, Nr. 48H. 1994 (G)
B. Hoffmann-Müller/ H. Amstad	Körperbild, Gewicht und Essver- halten bei Jugendlichen	Drogenmagazin	2; 4; 8-14; 1995; (G)
U. Hoffmann-Richter	Dekompensierte „Anorexie“ im 52- Lebensjahr - Schizophrenie- Diagnose nach 30 Jahren	Psychiatrische Praxis	26 (1999) (A)
J. Holden/L. Darga	Long-term follow-up of patients Attending a combination very- low calorie diet and behaviour therapy weight loss programme <i>Results showed that mean maximum weight loss during the time they attended the Programme (average 51.6 weeks) was 31.3 kg. Seventy-five per cent of subjects Showed only a 37.5 % regain of the weight they had lost. Exercising more, eating Fewer high fat foods and using more of the behavioural techniques taught in the Programme. Some patients treated with VLCD and behaviour modification can main tain significant weight losses over a relatively long period of time and that specific behaviours relate to this success.</i>	International Journal of Obesity	16; 605 – 613 1992 (O)
E. Hollander	Obsessive-compulsive disorder- Related disorders: the role of Selective serotonergic reuptake inhibitors	Int. Clinical Psychopharmacology	11; 75-87 1996 (G)
F. Horber	Perspektiven der psychiatrischen Therapie 2000/2001	Grundsätze der Adipositas- therapie	2000 (O)
A.O. Horvath et al.	The Development of the Working Alliance Inventory	A research handbook	29-556 1986 (G)
Howard K.I.; 8;Orlinsky D.E.; Lueger R.J.	Clinically relevant outcome research in individual psycho- therapy	British Journal of Psychiatry	165; 4- 1994 (G)
W. Howard/K. Evans Ch. Howard/ W. Bowers/ A. Andersen	Predictors of Success or Failure of Transition to Day Hospital Treatment for Inpatients with Anorexia Nervosa <i>Schlechte Prognose bei langer Krankheitsdauer, tiefer BMI, Amenorrhoe</i>	Am. J. Psychiatry	156:11 1999 Nov. 1697-1702 (A)
Hsu L.K.G.	Outcome of anorexia nervosa. A review of the literature (1954-1978)	Arch Gen Psychiatry	37; 1041-46; 1980 (A)
L.K.G. Hsu/ T.A. Sobkiewicz	Bulimia nervosa: a four- to six- year follow-up study	Psychological Medicine	19; 1035-1038; 1989 (B)
Hsu L.K.G; Benotti	Nonsurgical factors that influence	Psychosomatic Medicine	60; 338-346

P.N.; Dwyer J; Roberts S.B.; et al	the outcome of bariatric surgery: A review		1998 (O)
D. Huber	Diäten: Schlankheitskur fürs Portemonnaie	Ratgeber Konsum Beo	10/99.615 (G)
S. Hunter/J.Larrieu M. Ayad	Roles of mental health professionals in multidisciplinary medically supervised treatment programmes for obesity <i>National institutes of health conferences on obesity treatments and the institute of medicine have suggested that all obesity treatment programmes including those which are medically supervised , should be multidisciplinary, involving professionals from the behavioural, nutritional, and exercise fields to facilitate delivery of a patient-treatment matching strategy.</i>	Southern medical journal	Vol. 90, No. 6 578, 1997 (O)
G.F. Huon/ L. B. Brown	Evaluating a group treatment for bulimia	J. Psychiat. Res.	19; 2/3; 479- 483, 1985 (B)
G. F. Huon	Towards the Prevention of Dieting- International Journal of Eating Induced Disorders: Modifying Negative Food- and Body-Related Attitudes	Disorders	Vol. 16; No. 4, 395-399, 1994 (G)
G. F. Huon	Dieting, Binge Eating, and some of their correlates among secondary school girls Those who wanted to lose at least 7 kg, and were dieting most of the time, were More likely to be categorized as having a "severe" binge eating problem than were Those who were happy with their weight and were "never" or "rarely" dieting.	Int. Journal of Eating Disorders	Vol. 15; No. 2 159-164 1994 (G)
K. Hurrelmann	Health promotion for adolescents: Journal of Adolescence Preventive and corrective strategies against problem behavior (= Beitrag zur Prävention)	Journal of Adolescence	13; 231-250 1990 (G)
J. I. Hudson/ K. L. McElroy/ L. C. Raymond M. Crow/P. E. Keck/ W. P. Carter u.a.	Fluvoxamine in the Treatment of Binge-Eating Disorder: A Multicenter Placebo-Controlled Doubled-Blind Trial	Am J. Psychiatry	155: 1756 - 1762, (1998) (B)
C. Jackson/ P. J. V. Beumont/ Ch. Thornton/ W. Lennerts	Dreams of death: Von Weizsäcker's dreams in so-called endogenic Anorexia: A research note	Int. Journal of Eating Disorders	13; 3; 329-332 1993 (A)
Jacobi; C. Dahme; B.	Vergleich kontrollierter Psycho- und Pharmakotherapiestudien bei Bulimia und Anorexia nervosa	Psychother. Psychosom. med. Psychol.	47; 246-364 1997 (G)
Jacobson; N.S.	Clinical significance: A statistical approach to defining meaningful change in psychotherapy research	J. of Consulting and Clinical Psychology	59, 1; 12-19 1991 (G)
E. Jéquier	Obesity management – new	Therapeutische Umschau	57; 8

	Perspectives		2000	(A)
C. Johnson/ D.L. Tobin	Differences in treatment outcome between borderline and nonborderline bulimics at one-year follow-up	Int. J. of Eating Disorders	9; 6; 617-627; 1990	(B)
E. Johnson-Sabine/ D. Reiss	Bulimia nervosa: A 5-year follow-up study	Psychological Medecine	22; 951-959; 1992	(B)
Joiner; T.E.	Ten-year stability and predictive validity of five bulimia-related indicators	Am J. Psychiatry	154; 8; 8; 1133-1138	(B)
Joos; A. Steinert; T.	Komorbidität von Schizophrenie und bulimischer Anorexie	Nervenarzt	68; 417-420; 1997;	(B)
B. Junkert et al.	Der Behandlungsabbruch – ein Multifaktorielles Geschehen	Psychother. Psychosom. med. Psychologie	50; 351-365 2000	(G)
H. Kächele	Die Persönlichkeit des Psychotherapeuten und ihr Beitrag	Zeitschrift für psychosomatische Medizin und Psychoanalyse	38; 227-239 1992	(G)
Dr.med.F.Kaplik	Essstörungen	Psych. Universitätsklinik Erlangen		(G)
M.A. Katzman/ S.A. Wolchik	Bulimia and binge eating in college women: A comparison of personality and behavioral characteristics	J. of Consulting and Clinical Psychology	52; 3; 423-428; 1984	(B)
W. H. Kaye/ Th. E. Weltzin/ L.K. G. Hsu/ C. M. Bulik	An open trial of Fluoxetine in patients with anorexia nervosa	Int. Clinical Psychiatry	52; 11; 1991	(A)
A. Kearney/ R. Striegel	Treatment of childhood sexual abuse in anorexia nervosa and bulimia nervosa: A feminist psychodynamic approach	Inter. Journal of eating disorders	Vol. 15, No. 4 305 – 319 1994	(G)
Keel; P.	Bulimie – das unbekannte Leiden junger Frauen	Schweiz. Rundschau Med. (PRAXIS)	77; 41; 1095-1096; 988	(B)
P.K. Keel J.E. Mitchell	Outcome in Bulimia nervosa	Am. Journal Psychiatry	154; 313-321 1997	(B)
M.B.Keller/Ph.W.Lavori/T.I.Müller/J.Endicott/W. Coryell/ R.M.A.Hirschfeld/T.Shea	Time to Recovery, Chronicity and Levels of Psychopathology in Major Depression	Arch. Gen Psychiatry	49; 1992	(G)
M.B. Keller/	The naturalistic history of bulimia	Int. J. of Eating Disorders	12; 1; 1-9;	

D.B. Herzog	nervosa: Extraordinarily high rates of chronicity, relapse, recurrence and psychosocial morbidity		1992	(B)
J. D. Killen/ C. B. Taylor/ L. D. Hammer/I. Litt D. M. Wilson/T. Rich Ch. Hayward u.a.	An attempt to modify unhealthful eating attitudes and weight regulation practices of young adolescent girls	Int. Journal of Eating Disorders	13; 4; 369-384 1993	(G)
M.B. King	Eating disorders in a general practice population. Prevalence, characteristics and follow-up at 12 to 18 months	Psychological Medicine Monograph supplement 14 Cambridge University Press	1-32	(G)
King; M.B.	The natural history of eating pathology in attenders to Primary Medical Care	Int. J. of Eating Disorders	10; 4; 379-387 1991	(G)
S. F. L. Kirk	Joint Symposium with the British Dietetic Association on "Implementing dietary change: theory and practice" Session 2: Obesity Treatment of obesity: theory into practice	Proceedings of the Nutrition Society	Vol. 58, 53-58 1999	(O)
Kleges R. C./ Kleges L. M.	A longitudinal analyses of the impact of dietary intake and physical activity on weight change in adults	American Journal of Clinical Nutrition	55; 818-822 1992	(G)
Klessmann; E. & H-A.	Anorexia nervosa - eine therapeutische Beziehungsfalle?	Praxis der Kinderpsychologie	32; 257-261 1983;	(A)
W. Koepp/ S. Schildbach/ C. Schmager R. Rohner	Borderline diagnosis and substance abuse in female patients with eating disorders	Int. Journal of Eating Disorders	14; 1; 107-110 1993	(G)
G. Kolata	The Fat War: Hope Amid the Harm Eating Disorder		Okt. 31, 1999	(G)

St. A. König/ C.E. Elger/F. Vas- sell/a/D.Schmidt et.al.	Empfehlungen zu Blutunter- suchungen und klinischer Ueber- wachung zur Früherkennung des Valproat-assoziierten Lebervers- agens	Der Nervenarzt	69; 835-840, 1998 (G)
W. Köpp	Zur Häufigkeit sexuellen Miss- brauchs bei essgestörten Frauen	Psychother. Psychosom. med. Psychol.	44; 159-162 1994 (G)
H. Kordy M. von Rad W. Senf	Therapeutische Faktoren bei stationärer Psychotherapie Die Sicht des Patienten	Psychotherapeutische Psycho- somatik und medizinische Psychologie	40; 380-187 1990 (G)
Krause, V.	Über die Prognose vor Beginn einer stationären Psychotherapie <i>* Unterschied in geschlechtsspezifischer Beurteilung der Prognose (Arzt/Ärztin)</i>	Dissertation an der Freien Universität Berlin	(G)
F.D.Krche/G.Rathner	The Relationship between Over- weight and psychological prob- lems in adult Czech Population 438 randomly chosen subjects (selected from electoral registers or by random walk method). The overweight women showed slightly more anxiety and significantly higher social dysfunction than women with normal body weight.	Sbornik lekarsky	Vol. 99; No. 3 303-309, 1998 (O)
Krüger; S: Bräunig; P.	Abusus gewichtsreduzierender Substanzen bei Bulima nervosa	Nervenarzt	66; 66-69; 1995; (B)
Krupinski; M. Tutsch-Bauer; E.	Münchhausen-by-proxy-syndrom	Nervenarzt	66; 36-40; 1995; (G)
L. Kuipers	The measurement of expressed Emotion: its influence on research and clinical practice Expressed emotion (critical comments = cc, hostility, emotional over-involvement sind die drei zentralen Faktoren. In schizophrenia it is a robust predictor of outcome and has fuelled a series of inter- vention studies.	Int. Review of Psychiatry	6; 187-199 1994 (B)
M. Kunesova/ V. Hainer/J. Pariz- Kova/V. Stich	Long-term Treatment of Obesity in the Obesity unit	Sbornik lekarsky	Vol. 99, No. 3, 279-286, 1998 (O)
J.H. Lacey	Bulimia nervosa, binge eating and psychogenic vomiting: a controlled treatment study and long term outcome	British Medical J.	286; 5; 1609- 1613; 1983 (B)
R.G. Laessle/ P.J.V. Beumont	A comparison of nutritional management with stress management in the treatment of bulimia nervosa	British J. of Psychiatry	159; 250-261; 1991 (B)
C. Lanceley	Anorexia nervosa: forced feeding and the law	Lancet	Vol. 341 1143- 1144 1991 (A)

R. D. Lane/ G. E. Schwartz	Levels of emotional awareness: A cognitive-developmental theory and its application to psycho- pathology	Am Journal Psychiatry	144:2 1987	(G)
Th. Lang	Psychiatric morbidity and quality of life of morbidly obese patients before and after gastric banding surgery (Englische Version des Forschungsgesuchs an den Schweizerischen Nationalfonds)	Universitätsspital Zürich Abt. für Psychosoziale Medizin Psychiatrische Poliklinik	1997	(O)
Laumer; U. Bauer; M.	Therapeutische Effekte der Feldenkrais-Methode "Bewusst- heit durch Bewegung" bei Patienten mit Essstörungen	Psychother. Psychosom. med. Psychol.	47; 170-180 1997	(G)
A. P. Levin/ M. Kahan/ J. B. Lamm/ E. Spauster	Multiple personality in eating disorder patients	Int. Journal of Eating Disorders	13; 2; 235-239 1993	(G)
Lauer; Ch. Krieg; J.Ch.	Der Schlaf bei Anorexia nervosa, bulimia nervosa und depressiven Erkrankungen Eine polysomnographische Ver- gleichsstudie	Fortschr. Neurol. Psychiat.	57; 403-410; 1989;	(G)
G. Leon/L. Roth	Obesity: Psychological Causes, Correlations and Speculations <i>Heightened sensitivity to external cues + explanations</i>	Psychological Bulletin	Vol. 84, No. 1 117 – 139 1977	(O)
Léonard, T./ Pépinà C./ Bond A./J.Treasure	Assessment of test-meal induced autonomic arousal in anorexic, bulimic and control females.	Eur. Eat. Disorders Rev.	6; 188-200; 1998	(G)
A. P. Levin/M. Kahan J. Lamm/E. Spauster	Multiple Personality in Eating Disorder Patients	Int. Journal of Eating Disorders	Vol. 13, No. 2; 235-239 1993	(G)
J. A. Levine/ K. L. Eberhardt/ L. D. Jensen	Role of Nonexercise Activity Thermogenesis in Resistance to Fat Gain in Humans	Science	Vol. 283 08.01.1999	(O)
Leygraf; N. Windgassen K.	Zur Problematik krankhaften Stehlens am Beispiel der Anorexia nervosa	Der Nervenarzt	61; 413-417; 1990;	(G)
Lieberz K./S. Ciemer	Hintergründe des Abbruchs von Stationären Psychotherapien	Psychotherapeut	45;286-291 2000	(G)

G. Lindsay	The psychological characteristics Of patients suffering from anorexia Nervosa and the nurse's role in Creating a therapeutic relationship <i>It is seen that it is vital that nurses receive adequate education before working with Such patients, and that their knowledge is regularly updated. Nurses should receive regular clinical supervision and support, in order to ensure that they are able to provide therapeutic care for such patients.</i>	Journal of advanced nursing	26; 899-908 1997 (G)
Lissner L./ Levitsky D. A.	Dietary fat and the regulation of energy intake in human subjects	American Journal of Clinical Nutrition	46; 886-892 1987 (O)
Lowe; M.R.	Staying on versus going on a diet: Effects on eating in normal weight and overweight individuals	Int J of Eating Disorders	12; 4; 417-424; 1992 (O)
M.R. Lowe	The effects of dieting on eating behavior: A three-factor model	Psychological Bulletin	114; 1; 100-121; 1993 (O)
Luczmarski; R.J.	Prevalence of overweight and weight gain in the United States	Am. J. Clin Nutr	55; 495-502; 1992 (O)
S.E. Maddocks/ A.S. Kaplan	Two year follow-up of bulimia nervosa: the importance of abstinence as the criterion of outcome	Int. J. of Eating Disorders	12; 2; 133-141; 1992 (B)
Ch.L. McNeilly K. I. Howard	The Effects of Psychotherapy: A Reevaluation Based on Dosage	Psychotherapy Research	1(1), 74-78 1991 (G)
J. Mahon	Dropping out from Psychological Treatment for Eating Disorders: What are the Issues?	European Eating Disorders Review	8; 198-216 2000 (G)
J. S. March et al.	Sertraline in Children and Adolescents with obsessive-compulsive Disorder	Journal of American Medical Association	280; no. 20 1998 (G)
M.D. Marcus/ R.R. Wing	Obese binge eaters: affect, cognitions and response to behavioral weight control	J. of Consulting and Clinical Psychology	56; 3; 433-439; 1988 (G)
M.D. Marcus/ R.R. Wing	Eating disorders symptomatology in a registry-based sample of women with insulin-dependent diabetes mellitus	Int. J. of Eating Disorders	12; 4; 425-430 1992 (G)
K. Marti	Tod eines dicken Mädchen; Leichen reden	Gedicht	Aug. 2000 (O)
E. Mc Connaughy/ J. O. Prochaska/ W. F. Velicer	Stages of Change in Psychotherapy : Measurement and Sample Profiles	Psychotherapy: Theory, Research and Practice	Vol. 20, 3; Fall, 1983 (G)

S. L. McElroy et al.	Placebo-Controlled Trial of Sertraline in the Treatment of Binge Eating Disorder	American Journal of Psychiatry	157; 6, 2000 (G)
R. Meermann	Body-image-Störungen bei Anorexia und Bulimia nervosa und ihre Relevanz für die Therapie	Am Psychiatric Association	69 – 83 (G)
Medical Tribune	Mörderische Bulimie: Fressattacke brachte Magen um	Medical Tribune	50; 13.12.1996 (B)
Medical Tribune	Gesunder Säugling wächst nicht mehr / Comic	Medical Tribune	20; 16.5.1997 (G)
Medical Tribune	Adipositas: Die Epidemie des Dritten Jahrtausends. Neue Strategien gegen XXL	Medical Tribune	42; 16.10.1998 (O)
Medical Tribune	Hoffnung für Adipöse. Orlistat lässt Fettpolster schmelzen.	Medical Tribune	43; 23.10.1998 (O)
Medical Tribune	Dicke Kinder: Wie kriegt man den Speck weg?	Medical Tribune	49; 27.12.1998 (O)
Sc. D. Mendelson	Treatment of Anorexia Nervosa With Tramadol	Am J Psychiatry	158:6; 2001 (A)
R. Meyer/P.M. Suter W. Vetter	Alkohol, ein Risikofaktor für Uebergewicht	Praxis	88; 1555-1561 1999 (O)
G. Mihaescu et al.	Le questionnaire de dissociation DIS-Q : résultats préliminaires Dans une population suisse francophone	L'Encéphale	24 ; 337-46 1998 (G)
J.E. Mitchell/ L. Davis	A follow-up study of patients with bulimia	Int. J. of Eating Disorders	5; 3; 441-450; 1986 (B)
S. Moller-Madsen	Mortality in anorexia nervosa in Denmark during the period 1970-1987	Acta Psychiatrica Scandinavica	94; 454-459 1996 (A)
Morel; Y. Allaz; A.F.	Le traitement diététique de l'excès pondéral - Phase de perte de poids et phase de maintien du poids	Praxis	85; 49; 1574- 1588; 1996 (O)

E. Nash/ A. L. Colborn	Outcome of hospitalised anorexics and bulimics in Cape Town; 1979-1989	S Afr Med J	84; 2; 74-79; 1994 (G)
Neumärker; K-J.	Mortality and sudden death in anorexia nervosa	Int. J. of Eating Disorders	21; 205-212 1997 (A)
C. Nielsen et al.	Muskeltod durch Kaliummangel Abführen kann ans Leben gehen	The Lancet	Vol. 353, No. 9158 S. 1062, 1999 (A)
S. Nielsen et al.	Paper – Eating Disorder and Type 1 Diabetes: Overview and Summing-Up	European Eating Disorders Review	6 (1), 4-26 1998 (G)
S. Nielsen et al.	Standardized mortality in eating disorders – A quantitative sum- mary of previously published and new evidence	Journal of Psychosomatic Research	Vol. 44, Nos. ¾, 413-434 1998 (G)
Olmsted; M. P. Kaplan; A.S.	Rate and prediction of relapse in bulimia nervosa	Am. J. Psychiatry	151; 5; 738- 743; 1994; (B)
R.L. Palmer D.N. Robertson	Outcome in anorexia nervosa and Bulimia nervosa	Current Opinion in Psychiatry	8; 90-92, 1995 (G)
H. Papezova/ E. Dragomirecka	Subjective and objective outcome criteria in the treatment of eating disorders	Poster	1999 (G)
R. Papa M. Mantero G.M. Ruggiero	Eating Disorders in Italy: Epide- miology, psychopathology, family and sociocultural influences	Ospedale Maggiore Policlinico Milano	(G)
H. Papezova	O anorexi	Manual	(A)
Paul; Th. Meyer; J.E.	Bulimia nervosa - Das Krank- heitsbild und die Frage seiner nosologischen Zuordnung	Der Nervenarzt	58; 461-470; 1987; (B)
Th. Paul/C. Jacobi	Ein ambulantes verhaltensthera- peutisches Gruppenprogramm bei Bulimia nervosa	Psychoth. med. Psychologie	36; 232-239 1986 (B)
G.C. Patton	Mortality in eating disorders	Psychological Medicine	18; 947-951; 1988 (G)
S. Pelcák et al.	Zkusenosti ze skupinove prace S obeznimi pacienty	Sbornik lekafsky	Vol. 99, 3; 311-314; 1998 (O)

Perri; M.G.	Effects of four maintenance programs on the long-term management of Obesity	J of Consulting and Clin Psychology	36; 4; 529-534; 1988	(O)
K. M. Pike et al.	A Comparison of Black and White Women with Binge Eating Disorder	Am J. Psychiatry	158; 9; 2001	(A)
Ch. Pitts/G. Waller	Self-denigratory beliefs following sexual abuse: association with the symptomatology of bulimic disorders	Int. Journal of Eating Disorders	13; 4; 407-410; 1993	(G)
H.G. Pope/ J.I. Hudson	Antidepressant treatment of bulimia: A two year follow-up study	J. of Clinical Psychopharmacology	5; 6; 320-327; 1985	(B)
Potratz; B.	Die bedeutung der therapeutischen Beziehung für den Therapeutischen Prozess	Dissertation an der Universität Mainz	1995	(G)
Price; A. Gottesman; I.I.	Body fat in identical twins reared apart: Roles for genes and environment	Behavior genetics	21;1; 1-7; 1991	(O)
R. D. Pritchard St. D. Jones/Ph.Roth K. Stuebing/ St. E. Ekeberg	Effects of Group Feedback, Goal Setting and Incentives on Organizational Productivity	J. of Applied Psychology	Vol. 73; no. 2 337-358, 1988	(G)
M. Probst/M. Goris/ W. Vandereycken/ H. Van Coppenolle	Body composition before and after weight gain in anorexia nervosa patients assessed by underwater Weighing and skinfold measurements	American Journal of Clinical Nutrition (second revision)	11450 R, 2000	(A)
M. Probst/ W. Vandereycken/ H. Van Coppenolle/ E. Pieters	Body experience in eating disorders before and after treatment: a follow-up study	Eur. Psychiatriy	Vol. 14; 333-40; 1999	(G)
J. O. Prochaska et al.	Stages of Change and Decisional Balance for 12 Problem Behaviors	Health Psychology	Vol. 13; No. 1, 39-46; 1994	(G)
J. O. Prochaska et al.	In Search of How People Change Applications to Addictive Behaviors	American Psychologist	Vol. 47; no. 9 1102-1114; 1991	(G)

V. Pudel	Psychologische Aspekte der Adipositasentstehung und Behandlung <i>Das Essverhalten des Menschen ist bedürfnisgesteuert (Motivation. Änderungen des Essverhaltens müssen daher die zugrundeliegenden Bedürfnisse modifizieren. Eine Information über die ernährungsphysiologischen Bedarfspanparameter reicht nicht aus. Die Prinzipien des sozialen Marketings müssen bedacht werden.</i>	Akt. Ernähr.-Med. Georg Thieme Verlag Stuttgart	17; 196, 1992 (O)
Pyle R. L./ Mitchell J. E.	Maintenance Treatment and 6-month Outcome for Bulimic Patients Who respond to Initial Treatment	American Journal of Psychiatry	147; 7; 871-875; 1990 (B)
B. Rainer G. Rather	EAT-Normen für deutschsprachige weibliche Jugendliche: Eine populationsgestützte Studie	Zeitschr. für Klinische Psychol. Psychiatrie und Psychotherapie	45; 1; 16-35 1997 (G)
Rand; C.S.W.	Morbidly obese patients' perception of social discrimination before and after surgery for obesity	Souther Medical Journal	83; 12; 1390-1395 (O)
Rathner G./ Rainer B.	Jährliche behandlungszahlen und geschätzte Häufigkeiten von Essstörungen in Österreich	Wiener klinische Wochenschrift	109; 8; 275-280; 1997 (G)
Rathner G./ 182Waldherr K.	Eating Disorder Inventory-2: Eine deutschsprachige Validierung mit Normen für weibliche und männliche Jugendliche	Zeitschrift für Klinische Psychologie, Psychiatrie und Psychotherapie	45; 2; 157-1997 (G)
N.C. Raymond M.P. Mussel et al.	An age-matched comparison of subjects with binge eating disorder and Bulimia nervosa	Int. Journal of Eating Disorders	18; 2; 135-143 1995 (B)
D. Reiss/ E. Johnson-Sabine	Bulimia nervosa: 5-year social outcome and relationship to eating pathology	Int. J. of Eating Disorders	18; 2; 127-133; 1995 (B)
Remschmidt; H. Müller; H.	Stationäre Gewichts-Ausgangsdaten und Langzeitprognose der anorexia nervosa	Z. Kinder-Jugendpsychiat.	15; 327-341; 1987; (A)
A.-M. Rizzuto	Transference, Language and affect in the treatment of Bulimia nervosa	Int. J. Psycho-Anal.	69; 369-387; 1988 (B)

B. Robinson/ D. Gjerdingen/ D. Houge	Obesity: A move from traditional to more patient-oriented manage- ment <i>A review of the literature on obesity and its treatment was performed by searching MEDLINE, PsychINFO, ERIC, and SOCA data bases from 1980 to 1993. regardless of weight, all patients should be asked about their diet and exercise history, and a brief mental status evaluation should be performed to screen for eating disorders and other psychosocial disorders. Regardless of whether patients are able to lose weight, the family physician can still provide long-term support and care and encourage a healthy lifestyle in these patients.</i>	J Am Board-Fam Pract.	8; 99 – 108 1995 (O)
J. Rodin/D. Schank R. Striegel	Psychological Features of Obesity	Medical Clinics of North America	Vol. 73, No. 1 1989 (O)
Romieu I./ Willett W.C.	Energy intake and other determinants of relative weight	American Journal of Clinical Nutrition	47; 406-412 1988 (O)
M. Rorty/J. Yager	Histories of childhood trauma and complex posttraumatic sequelae in women with eating disorders <i>Guter Ueberblick über Stand der Trauma- Forschung und Einfluss auf Essstörungen</i>	The Psychiatric Clinics of North America	Vol. 19, No. 4 1996 (G)
E. M. Rossiter/ W. St. Agras/	Cluster B personality disorder characteristics predict outcome	Int. Journal of Eating Disorders	13; 4, 349-357 1993 (B)
Ch. F. Telch/ J. A. Schneider	in the treatment of Bulimia Nervosa		(B)
Rossiter E. M./ Wilson T. G.	Cognitive restructuring and Response Prevention in the Treatment of Bulimia Nervosa	Behav. Res. Ther.	23; 3; 349-359 1985 (B)
Rüegsegger; P. Müller; A.	Knochenabbau bei Patientinnen mit Anorexia nervosa	Schweiz. med. Wschr.	118; 7; 233- 238; 1988; (G)
Rüegsegger; P. Müller; A.	Knochenabbau bei Patientinnen mit Anorexia nervosa	Schweiz. med. Wschr.	118; 7; 233- 238; 1988; (A)
G.F. Russel/	An evaluation of family therapy	Arch Gen Psychiatry	44; 12; 1047 (G)
Russell, G.F.	Mothers with anorexia nervosa who underfeed their children: their recognition and management	Psychological Medicine	28; 93-108; 1998 (A)
Sauer; H. Hornstein; Ch.	Irreversible Hirnatrophie bei anorexia nervosa	Der Nervenarzt	56; 691-695; 1985; (A)

L. Schachter/	Futility and avoidance: Medical professionals in the treatment of obesity <i>Dr. Frank compares physicians attitudes toward obesity with their attitudes toward Other chronic disorders. If obesity is to be treated in the same manner as any Other chronic disorder, it is vital that treatment protocols be formed and made Known. New York State has recently passed legislation that protects consumers From quackery and false claims made by the weight-loss industry. Viewing obesity From a biopsychosocial perspective helps one to appreciate the complex interaction Of metabolic and genetic components as well as the importance of the family and Social and cultural context. Recent evidence from smoking-cessation research suggests that physician intervention can be a powerful motivation for change. Current scientific evidence shows that people who eat a high-fat diet are more likely To become obese than others and supports the premise that diet's role in obesity Goes beyond a simple caloric excess of energy output.</i>	JAMA	Vol. 270, No. 12, Sept. 22/29, 1993 (O)
Schaub, H.-A.	Case Management und chronifizierte biopsychosoziale Problemlagen	Gruppenpsychother. Gruppendynamik	34; 23-36; 1998 (G)
P. Schlesinger/ J. Willi	Bulimia nervosa Ein Beitrag aus der Sicht der Stationären Psychotherapie	Hospitalis	Vol. 60, Nr. 6; 350-355 1990 (B)
C. Schmahl/ D. Stiglmayer/ E. Böhme/M. Bohus	Behandlung von dissoziativen Symptomen bei Borderline - Persönlichkeitsstörungen mit Naltrexon	Der Nervenarzt	70; 262-264, 1999 (G)
G. Schmid et al.	Konflikt- und lösungsorientierte Stationäre psychoanalytische Psychotherapie bei Patientinnen mit Anorexia nervosa und Bulimia nervosa	Gruppenpsychother. Gruppendynamik	36; 355-366 2000 (G)
Schmidt N. B./ Telch M. J.	Prevalence of Personality Disorders Among Bulimics, Nonbulimic bing Eaters, and Normal Controls	Jounal of Psychopathology and Behavioral Assessments	12; 2; 169-185 1990 (G)
U. Schmidt/J. Tiller J. Treasure	Self-treatment of Bulimia Nervosa: A pilot study	Int. Journal of Eating Disorders	13; 3; 273-277 1993 (B)
U. Schmidt J. Tiller et al.	Setting the scene for eating disorders: childhood care, classification and course of illness	Psychological Medicine	23; 663-672 1993 (G)
U. Schmidt K. Evans et al.	Puberty, sexual milestones and abuse: how are they related in eating disorder patients	Psychological Medicine	25; 413-417 1995 (G)
Schmidt; U.	Verhaltenstherapeutische kognitiv-verhaltenstherapeutische und kognitiv-analytische Methoden der Anorexiebehandlung	Psychother. Psychosom. med. Psychol.	47; 316-321 1997 (A)

Schmidt U./ Tiller J.	Is there a specific trauma precipitating anorexia nervosa	Psychological Medicine	27; 523-530 1997 (A)
Schmidt, U.; Humfress, H.	The role of general family en- vironment and sexual abuse in the origins of eating disorders	European Eating Disorders Review	5 (3); 184-207; 1997 (G)
Schneider J. A.	Eating disorders, addictions and Unconscious fantasy	Bulletin of Menninger Clinic	Vol. 59, No. 2 1995 (G)
E. Schupak/ C. Nemeroff	Disturbances in Identity and Self-Regulation in Bulimia Ner- Vosa: Implications for a Meta- phorical Perspective of "Body as Self"	Int. Journal of Eating Disorders	Vol. 13, No. 4; 335-347; 1993 (B)
Schulz; P.E. Assimacopoulos R.	Analyse rétrospective de l'efficacité des hospitalisations pour anorexie mentale	Schweiz. Rundschau Med. PRAXIS	74; 6; 119-124 1985; (A)
E. Schupak-Neuberg/ C. J. Nemeroff	Disturbances in identity and self- regulation in Bulimia Nervosa: Implications for a metaphorical perspective of "body as self"	Int. Journal of Eating Disorders	13; 4; 335-347 1993 (B)
Schweizerische Adipositas-Stiftung	Adipositas – Wenn der Gürtel immer zu eng ist. (Presseinformation)	MedizinZeitung	2; Februar 1999 (O)
Seifert; T. (HP)Loos; G.	Matriarchaler Raum und Lebensrealität	Psychosomatik	1987 (G)
M. Senekal E. C. Albertse/ D. J. Momberg/ B. J. Groenewald/ E. Mellie Visser	A multidimensional weight mana- gement program for women <i>Gutes Modell, wichtig beim Entwickeln eines Programms für die Behandlung der Adipositas . Keine Resultate zum Erfolg.</i>	J. of the American Dietetic Assoc.	Vol. 99, No. 10 1999 (O)
L. Serpell/J.Treasure	Osteoporosis – A serious health Risk in chronic Anorexia nervosa	European Eating Disorders Review	5 (3), 149- 157, 1997 (A)
S. E. Shinder/ R. J. Shephard	Relationship of premorbid mass and energy intake to increase of body mass during the treatment of Anorexia Nervosa	Int. Journal of Eating Disorders	14;1; 65-73 1993 (A)
C.M. Shisslak	Family dysfunction in normal Weight bulimic and bulimic ano- rexic families A group of 24 normal weight bulimics and 13 bulimic anorexics were compared with Each other and a normal control group (n = 41) on two self-report measures of family Functioning. There were few significant differences in the family perceptions of the Two bulimic groups.	Journal of Clinical Psychology	Vol. 46; No. 2 1990 (G)

C.M. Shisslak S. L. Pazda	Body Weight and Bulimia as Discriminators of Psychological Characteristics among Anorexic, Bulimic and Obese Women	Journal of Abnormal Psychology	Vol. 99, No. 4 380-384; 1990 (B)
C.M. Shisslak/ M. Crago/L. Estes K. M. McKnight/ N. Gray/O. Parnaby	Potential risk factors associated with weight control behaviors in elementary and middle school girls	Journal of Psychosomatic Research	Vol. 44, No. 3+4, 301-313; 1998 (G)
Sims; E.A.H.	Energy balance in human beings: The problems of plenitude	Vitamins and hormones	43; 1986 (G)
Sims; E.A.H. Goldman; R.F.	Experimental Obesity in man	Department of Medicine University of Vermont	153-169 (O)
L. Smolak/ M. P. Levine	Separation-Individuation Difficulties and the Distinction between Bulimia Nervosa and Anorexia Nervosa in college woman	Int. Journal of Eating Disorders	14; 1; 33-41 1993 (B)
R. L. Spitzer/ A. Stunkard/ S. Yanovski/ M. D. Marcus/ Th. Wadden/R. Wing J. Mitchell/D. Hasin	Binge eating disorder should be included in DSM-IV: a reply to fairburn et al.'s "The classification of recurrent overeating: The binge eating disorder proposal"	Int. Journal of Eating Disorders	13; 2, 161-169 1993 (O)
R.L. Spitzer/ S. Yanovski	Binge eating: Ist further validation in a multisite study	Int. J. of Eating Disorders	13; 2; 137-153; 1993 (O)
Stefanis, N./ Mackintosh, Ch./ Abraha H.D. et al	Dissociation of bone turnover in anorexia nervosa	Ann. Clin. Biochem.	35; 709-716; 1998 (A)
Stefansson; J.G. Hannesdottir; H.	A note on an increasing suicide rate in Iceland	Arctic Medical Research	53; 2; 576-579; 1994; (G)
Steffen, R./ Horber, F.	Die krankhafte Adipositas.	MedizinZeitung	5; Oktober 1998 (A)
Stevens; E. V.	Group therapy for bulimic adults	Amer J. Orthopsychiat.	54; 1; 1984 (B)
Steiner; S.	Anorexia nervosa	Hospitalis	6; 346-350; 1986; (A)
H.-Ch. Steinhausen/ C. Rauss-Mason	Follow-up studies of anorexia nervosa: a review of four decades of outcome research	Psychological Medicine	21; 447-454; 1991 (A)
H.-Ch. Steinhausen/ R. Seidel	Outcome in adolescent eating disorders	Int. J. of Eating Disorders	14; 4; 487-496; 1993 (A)

H.-Ch. Steinhausen/ M. Vollrath	The self-image of adolescent patients with eating disorders	Int. Journal of Eating Disorders	13; 2; 221-227 1993	(G)
H.-Ch. Steinhausen	Essstörungen im Jugendalter: Anorexia und Bulimia nervosa	5. Zürcher Kinder- und Jugendpsychiatrisches Symposium	1992	(G)
A. Stirn et al.	Drei stationäre Therapieverläufe von essgestörten Patientinnen, verglichen mit der Methode des des Zentralen Beziehungskonfliktthemas (ZBKT)	Psychother Psychosom med Psychol	51; 227 – 229 2001	(G)
M. Stockmeyer	Atypische Anorexia nervosa	Praxis 2001	90; 459-460 2001	(A)
M. Strober/ R. Freeman C. Lampert/ J. Diamond/W. Kaye	Controlled Family Study of Anorexia Nervosa and Bulimia Nervosa: Evidence of Shared Liability and Transmission of Partial Syndromes	American Journal of Psychiatry	157;3, 2000	(G)
Stunkard; A.J. Harris; J.R.	The body-mass index of twins who have been reared apart	New England J of Medicine	322; 1483-1487; 1990	(G)
Stunkard; A.J.	d-Fenfluramine treatment of binge eating disorders	Am J Psychiatry	153; 11; 1455-1459; 1996	
<i>8-week double-blind: At four month follow-up the binge frequency of the d-fenfluramine group had increased to pretreatment levels and no longer differed from that of the placebo group</i>				(O)
A.J. Stunkard S. Messick	The three-factor eating questionnaire to measure dietary Restraint, disinhibition and hunger	J. of Psychosomatic Research	Vol. 29, No. 1 71-82, 1985	(G)
A.J. Stunkard	The Control of Obesity: Social And Community Perspectives Interessante Tabelle zum sozio-ökonomischen Status (urspr. heutiger Stand) und BMI	Handbook for Eating Disorders Brownell et al.	213-230	(O)
Sullivan M./ Karlsson J.	Swedish obese subjects (SOS) An intervention study of obesity. Baseline evaluation of health and psychosocial functioning in the first 1743 subjects examined	International Journal of Obesity	17; 503-512 1993	(O)
Suter P./ Lang T.	Morbide Adipositas. Viszeral-chirurgisch-gastroenterologisches Kolloquium USZ		1997	(O)
Suter P.M./ Maire R./ Hässler E./ Vetter W.	Fettverteilung in einer schweizerischen Population: Die AIR94-Studie	Praxis	87; 1170-1176 1998	(O)
W.J. Swift/	Depression in bulimia at 2- to	Psychiatry Research	16; 111- 122;	

N.H. Kalin

5- year follow up

1985 **(B)**

Sydow; C.	Die psychosoziale Bedeutung der gemeinsamen Mahlzeit für Familien mit Kindern	Dissertation an der Universität Göttingen	1996	(G)
Ch. F Telch et al.	Group cognitive-behavioral Treatment for the nonpurging Bulimic: An initial evaluation	Journal of Consulting and Clinical Psychology	Vol. 58, No. 5, 629-635, 1990	(A)
Thackwray; D.E. Smith; M.C.	A comparison of cognitive-behavioral interventions for bulimia nervosa	Journal of Consulting and Clinical Psychology	61; 4; 639-645; 1993;	(B)
Thelen M. H./ Farmer J.	A Revision of the Bulimia Test: The BUILT-R	Journal of Consulting and Clinical Psychologoy	3; 1; 119-124 1991	(B)
A. Thiel T. Paul	Entwicklung einer deutschsprachigen Version des Eating-Disorder-Inventory (EDI)	Zeitschrift für Differentielle und	9; 4; 267-278	1988
Thiel; A.	Sind Psychopharmaka für die Behandlung der Anorexia und Bulimia nervosa notwendig?	Psychother. Psychosom. med. Psychol.	47; 332-345; 1997	(A)
Thiel; A. Jacobi; C.	Eine deutschsprachige Version des Eating Disorder Inventory EDI-2	Psychother. Psychosom. med. Psychol.	47; 365-376 1997	(G)
Thiel A.; Züger M.; Jacoby G.E.; Schüssler G.	Thirty-month outcome in patients with anorexia or bulimia nervosa and concomitant obsessive-compulsive disorder	Am J Psychiatry	155; 244-249; 1998	(G)
A. Thiel/A. Broocks M. Ohlmeier/ G. Jacoby/ F. Schüssler	Obsessive-Compulsive Disorder among patients with Anorexia nervosa and Bulimia nervosa	Am J. Psychiatry	152:1; 1995	(G)
Thiels C.; Schmidt U., Treasure J.; Garthe R.; Troop N.	Wie wirksam und akzeptabel ist ein Selbstbehandlungsmanual mit begleitender Kurztherapie bei Bulimia nervosa	Nervenarzt	69; 427-436 1998	(B)
Thiels, C./	Guided self-change for bulimia	Am J Psychiatry	155; 947-953; (B)	
J. K. Thompson et al.	Psychometric Qualities of the Figure Rating Scale	Int. Journal of Eating Disorders	Vol 10, no. 5 615-619	
Thomas C. D./ Peters J. C.	Nutrient balance and energy expenditure during ad libitum feeding of high-fat and high-carbohydrate diets in humans	American Journal of Clinical Nutrition	55; 934-942 1992	(O)

Tiller, J./ Treasure, J.	Eating disorders precipitated by pregnancy	Eur. Eat. Disorders Rev.	6; 178-187; 1998	(G)
Toman, E.	Übergewicht (Adipositas) aus psychiatrischer Sicht und seine Relevanz für die allgemeinärztliche Praxis	Praxis	87; 759-768; 1998	(O)
Toman, E.	Vom Leben zwischen Kampf und Scham	Dossier/Psychoscope	S. 6 - 9; 1999	(G)
E. Toman	Zur Behandlung von Patientinnen mit Essstörungen in der Klinik Hohenegg	Jahresbericht Klinik Hohenegg	86; 19-26; 1997	(G)
E. Toman	The therapeutic alliance with Bulimic patients according to Their BMI	European Eating Disorders Rev.	2002	(G)
E. Toman	Group therapy for Eating Disord.	European Scientific Workshop & Intern. Clinical Workshop, Roma	2001	(G)
E. Toman	Bulimie und das Unverdaubare	Berner Schriftenreihe	2002	(B)
M. Thommen	Verlauf und Prognose der Anorexia nervosa	Periodische medizinische Mitteilungen der schweizerischen Versicherungsgesellschaften	1-10	(A)
J. K. Thompson L. J. Heinberg	Preliminary test of two hypotheses of body image disturbance	Int. Journal of Eating Disorders	14; 1; 59-63 1993	(G)
J. Treasure	The History of Services for Eating Disorders in Europe The GB Experience			(A)
J. Treasure	Compulsory Treatment for Eating Disorders	The GB Experience		(A)
J. Treasure U. Schmidt	From specialist care to self directed treatment	BMJ	307; 4; 577-578; 1993	(A)
J. Treasure U. Schmidt et al.	First step in managing bulimia nervosa: controlled trial of therapeutic manual	British Medical Journal	308; 686-689, 1994	(B)
J. Treasure/ U. Schmidt	Beyond Effectiveness and Efficiency Lies Quality in Service for Eating Disorders Various forms of treatment for bulimia nervosa and lesser extent anorexia nervosa.	European Eating Disorders Review	7; 162-178 1999	(G)
J. Treasure G. Todd et al.	A pilot study of a randomised trial of cognitive analytical therapie vs educational behavioral therapy for adult anorexia nervosa	Behav. Res. Ther.	33; 4; 363-367 1995	(A)

Treasure; J. Troop; N. A,	An Approach to planning services for bulimia nervosa	Planning services for bulimia nervosa	1996	(B)
Treasure; J. Troop; N.	Wieviel Behandlung für wen?	Anorexia und Bulimia nervosa		(B)
J. Treasure U. Schmidt et al.	Sequential treatment for bulimia nervosa incorporating a self-care manual	British Journal of Psychiatry	168; 94-98 1996	(B)
Treasure; J.	III fitting genes: the biology of weight and shape control in relation to body composition and eating disorders	Psychological Medicine	27; 505-508; 1997	(G)
Treasure J. Owen; J.B.	Intriguing links between animal behavior and anorexia nervosa	Int. J. of Eating Disorders	21; 307-311; 1997	(A)
Treasure J.	Staged matched interventions for Eating Disorders	Keine Quellenangabe		(G)
Treasure J; Kordy H.	Evidence based care of eating disorders: beware the glitter of the randomised controlled trial.	Eur. Eat. Disorders Rev.	6; 85-95; 1998	(G)
J. Treasure/ K. Katzmann/ L. Schmidt/N. Troop/ M. Todd/P. de Silva	Engagement and outcome in the treatment of bulimia nervosa: first phase of a sequential design comparing motivation enhance- ment therapy and cognitive be- havioural therapy	Behaviour Research and Therapy	37 (1999) 405 – 418	(B)
Tremblay A./ Lavallée N.	Nutritional determinants of the increase in energy intake associated with a high-fat diet	American Journal of Clinical Nutrition	53; 1134-1137 1991	(G)
J. Treasure/ L. Serpell	Osteoporosis in Anorexia Nervosa <i>Infos für guideline-treatment</i>	Hospital Medicine	Vol. 66, No. 7 1999	(A)
J. Treasure/D.Collier	Viewpoint: The relationship of The Fat Controller to Eating Disorders	European Eating Disorder Review	00-00 2000	(A)

N. Troop U. Schmidt et al.	Compliance with a self-care manual for bulimia nervosa: Predictors and outcome	British Journal of Clinical Psychology	35; 435-438 1996 (B)
Troop N. A./ Treasure J. L.	Setting the scene for eating disorders, II. Childhood helplessness and mastery	Psychological Medicine	27; 531-538 1997 (G)
N. Troop/F. Murphy E. Bramon/J. Treas.	Disgust sensitivity in eating Disorders: a preliminary investigation <i>Ekel + essgestörte Frauen. Ekel wurde mit einem sensitiven Fragebogen gemessen. Es wurden keine signifikante Anzeichen von Ekel bei essgestörten Patienten festgestellt.</i>	Int. J. of Eating Disorders	Vol. 27, 446-451, 2000 (G)
S.J. Turnbull U. Schmidt	Predictors of Outcome for two Treatments for Bulimia Nervosa: Short and Long Term	International Journal of Eating Disorders	21; 1; 17-22 1997 (B)
V. Tschuschke	Gibt es unterschiedlich effektive Formen von Psychotherapie	Der Psychotherapeut	39; 281-297, 1994 (G)
V. Tschuschke A. Catina Th. Beckh/D. Salvini	Wirkfaktoren in stationärer analytischer Gruppenpsychotherapie	Psychotherapeutische, psychosomatisch medizinische Psychologie	42; 91-101, 1992 (G)
W. Vandereycken/ Th. Abatzi	Das anorektische Leben der Kaiserin Elisabeth von Oesterreich (1837 - 1898): Schlankheitskult im Hause Habsburg	Nervenarzt	67: 608-613 (1996) (A)
J. Vanderlinden/ W. Vandereycken/	Dissociative experiences and trauma in eating disorders	Int. Journal of Eating Disorders	13; 2, 187-193 1993 (G)
Ph. Vanger H. Stenzel	Therapeutische Anwendung von Videomaterial in der dynamischen Gruppentherapie von essgestörten Patientinnen	Gruppenpsychotherapie, Gruppen dynamik ISSN 0017-4947; 1994	30; 362-377 (G)
Ch. Vaughn/J. Leff	The Measurement of Expressed Emotion in the Families of Psychiatric Patients/ Expressed Emotion in Families: Its Significance for Mental Illness (Artikel über die Entwicklung des EE-Konzeptes)	Journal of clinical Psychology	15; 157-165 1976 (G)
Verburg; K.	Discrimination between panic disorder and generalized anxiety disorder by 35% carbon dioxide challenge	Am J Psychiatry	152; 7; 1081-1083 (G)
M.J. Viens/ K. Hranchuk	The Treatment of Bulimia Nervosa J. Behav. Ther. & Exp. Psychiat. following surgery using a stimulus Control Procedure: a case study <i>Fallbeispiel mit Tagebuchreport. Hilfreich!</i>	Vol. 23, No. 4, 313-317, 1992 (O)	

M. Vollrath R.Alnaes S. Torgersen	Coping Styles Predict Change in Personality Disorders	Journal of Personality Disorders	9 (4); 371-385 1995 (G)
M. Vollrath R.Alnaes S. Torgersen	Coping and MCMI-II Personality Disorders	Journal of Personality Disorders	8 (1); 53-63 1994 (G)
K. von Ranson/ W. Kaye/ Th. Weltzin/R. Rao N. Matsunaga	Obsessive-compulsive disorder symptoms before and after recovery from Bulimia nervosa	Am J Psychiatry	156 : 1703-1708, 1999 (B)
O. von Wietersheim et al.	Der Einfluss von stationärer psychodynamischer Psychotherapie auf Persönlichkeitsmerkmale von Patientinnen mit Anorexia nervosa und Bulimia nervosa – Ergebnisse der multi-zentrischen Essstörungsstudie	Z. psychosom. Med. Psychother.	47; 366-379; 2001 (G)
A. Voseckova/ S. Pelcak	Multikausalni Etiologie Obezity Kazuistika <i>Fallbeispiel</i>	Sbornik lekarsky	Vol. 99, No. 3 315-317, 1998 (O)
Wagner; U.	Veränderungen testpsycho-logischer Parameter im Rahmen stationärer psychotherapeutischer Behandlung am Beispiel essgestörter Patientinnen	Dissertation an der Universität Frankfurt am Main	1994 (G)
G. Waller	Association of Sexual Abuse and Borderline Personality Disorder in Eating Disordered Women	Int Journal fo Eating Disorders	Vo. 13; no. 3 259-263 1993 (G)
L.A. Wallis/ J.H. La Rosa	Position of the American Dietetic Association and Dietitians of Canada: Women's health and Nutrition <i>Nutrition is involved in the etiology or treatment of half of the 10 leading causes of death in women. Cardiovascular disease, cancer, osteoporosis, weight and diabetes mellitus, These are all health problems. Dietetic professionals are in the perfect position to understand the issues surrounding women's health in order to deliver a message to women That will allow them to make wise decisions regarding their health. Dietetics professionals Must be proactive in documenting the effectiveness of outcomes-based research.</i>	Am. Journal of Dietetic Assoc.	Vol. 99, 738-751, 1999 (O)
B.T. Walsh G.T. Wilson et al.	Medication and Psychotherapy in the treatment of bulimia nervosa	Am. Journal Psychiatry	154;4; 523-531 1997 (B)
B. T. Walsh et al.	Fluoxetine for Bulimia Nervosa Following Poor Response to Psychotherapy	Am Journal Psychiatry	157;1332-1334 2000 (B)
Walters; E.E. Kendler; K.S.	Anorexia nervosa and anorexic-like syndromes in a population-	Am. J. Psychiatry	152; 1; 64-71; 1995; (A)

based female twin symple

Wander AG	Der kluge Esser	Life Sciences	16-19; (G)
A. Ward/R. Ramsay J. Treasure	Attachment research in eating disorders	British Journal of Medical Psychology	73, 35-51 2000 (G)
A. Ward et al.	Eating Disorders : Psyche or Soma ?	Int Journal Eat Disorders	27: 279-287 2000 (G)
J. Wardle/ K. Rapoport	Cognitive-Bahavioural Treatment of Obesity	Kopelman Blackwell Serena	17; 409-428 1998 (O)
St. Weirich et al.	Differenzialdiagnostische Aspekte von Essstörungen und Achalasie bei Debilitas am Beispiel einer stationär behandelten Patientin	Krankenhauspsychiatrie 2000	11; 86 – 88 2000 (G)
Ruth E. B. White/ S. E. McCluskey/ T. Varma/H. Lacey	Kallman's Syndrome and Anorexia Nervosa: A Diagnostic Dilemma	Int. Journal of Eating Disorders	Vol. 13, No. 4; 415-419 1993 (A)
W.C. White/ M. Boskind-White	An experimental- behavioral approach to the treatment of bulimarexia	Psychotherapy: Theory, Research and Practice	18; 4; 501-507; 1981 (B)
R. E. B. White/ S. E. McCluskey/ Th. R. Varma/ J. H. Lacey	Kallmann's Syndrome and Anorexia Nervosa: A diagnostic dilemma	Int. Journal of Eating Disorders	13; 4; 415-419 1993 (A)
D.E. Wilfley/ W.S. Agras	Group cognitive-behavioral therapy and group interpersonal Psychotherapy for the non-purging bulimic individual: A controlled comparison	J. of Consulting and Clinical Psychology	61; 2; 296-305 1993 (A)
Williamson; D.F.	Descriptive epidemiology of body weight and weight change in U.S. adults	Ann Intern Med.	119; 7; 2; 646-649 (G)
Willenberg; H.	Ein Konzept zur stationären psychotherapeutischen Behandlung magersüchtiger Patienten	Psychosomatik	1987; (A)
Willenberg H. et al.	Die „Gewichtsphobie“ Ein Diskussionsbeitrag zum Problem der „atypischen“ oder „nicht näher bezeichneten“ Ess- und Gewichtsstörungen	Psychother. Psychosom. Med. Psychologie	50; 134-139 2000 (G)
Willi; J. Limacher; B.	10-Jahres-Katamnese der 1973-1975 im Kanton Zürich erstmals hospitalisierten Anorexie-Fälle	Schweiz. med. Wschr.	5; 147-155; 1989; (G)

Willi; J. Grossmann; S.	Epidemiology of anorexia nervosa in a defined region of Switzerland	Am J. Psychiatry	140; 5; 564- 567; 1983 (A)
Willi J./ Giacometti G.	Update on the Epidemiology of Anorexia Nervosa in a defined Region of Switzer- land	American Journal of Clinical Nutrition	147; 11; 1514- 1517; 1990 (A)
Willi; J. Sieber; M.	Die Zweckmässigkeit des HIV- Antikörpertests zur AIDS-Be- kämpfung	Forschungsbericht der Abteilung für Psychosoziale Medizin	2; 1993; (G)
Williamson D. A./ Prather R. C.	Behavioral Assessment Procedures Can Differentiate Bulimia Nervosa, Compulsive Overeater, Obese, and Normal Subjects	Behavioral Assessment	12; 239-252 1990 (O)
D. F. Williamson/ E. Pamuk/M. Thun D. Flanders/T. Byers C. Heath	Prospective Study of Intentional Weight loss and Mortality in Overweight white men aged 40 – 64 years <i>Weight loss reduces dying from diabetes (CVD) but not dying from cardiovascular Diseases (CVD) (men BMI 27 +)</i>	A. Journal of Epidemiology	Vol. 149, No. 6 1999 (O)
G.T. Wilson	Assessing treatment outcome in bulimia nervosa: A methodological note	Int. J. of Eating Disorders	6; 3; 339-348; 1987 (B)
G. T. Wilson	Cognitive behavior therapy for eating disorders: progress and problems Manual-based CBT is the first-line treatment of choice for bulimia nervosa (BN) although Its effects are limited. Modified CBT and behavioural weight control programs seem Comparably effective in reducing binge eating in Binge Eating Disorder (BED). Long-term Maintenance of weight loss in these obese patients, however, remains a challenge.	Behaviour Research and Therapy	37; 79-95, 1999
A. Winzelberg/ B. Taylor/T. Sharp K. Eldredge/P. Dev Ph. Constantinou Wöller, W.; Bergstein, V.	Evaluation of a computer- mediated eating disorder Inter- vention Program	Int. J. Eating Disorders	24;339 – 349 1998 (G)
A. Wood	Die Erfassung der therapeuti- schen Arbeitsbeziehung in der stationären Psychotherapie	Gruppenpsychotherapie, Gruppendynamik	34; 54-64; 1998 (G)
	Pharmacotherapy of bulimia nervosa - experience with Fluoxetine	Int. Clinical Psychopharmacology	8; 4; 1993 (B)

Wooley; S.C.	Obesity and women- a closer look at the facts * "Obese people do not , on the average, eat more than anyone else"/ the major treatment for obesity may also be the major cause of obesity	Women`s studies Int. Quart.	2; 69-79 1979	(O)
S.C. Wooley/ A. Kearney-Cooke	Intensive treatment of bulimia and body-image disturbance		476-502	(B)
S. Wuhrmann/	Co-Therapie in einer Gruppe von Frauen mit Essstörungen	Gruppenanalyse	Vol. 6 (1996) Heft 2	(G)
D. E. Thackwray/ M. C. Smith	A comparison of behavioral and cognitive-behavioral interventions for bulimia nervosa	J. of Consulting and Clinical Psychology	61; 4; 639-645; 1993	(B)
Xenical	Antiadipositum	Produktinformation Roche	24774; 1998	(O)
S.Zelitch Yanovski / N.G. Sebring	Recorded food intake of obese women with binge eating disorder before and after weight loss	Int. J. of Eating Disorders	15; 2; 135-150; 1994	(O)
K. J. Zerbe	Integrating feminist and psycho-dynamic principles in the treatment of an eating disorder patient: Implications for using counter-Transference responses	Bulletin of the Menninger Clinic	Vol. 59, No. 2 1995	(G)
K. J. Zerbe	Whose body is it anyway ? Understanding and treating psychosomatic aspects of eating disorders	Bulletin of the Menninger Clinic	Vol. 57, No. 2 1995	(G)
Ziolko; H-U.	Bulimie	Zschr. psachosom. Med.	31; 234-246; 1985	(G)
St. Zipfel et al.	Long-term prognosis in anorexia Nervosa: lessons from a 21-year follow-up study	The Lancet	Vol. 355, 2000	(A)
Zubieta J.K.; Demitrack M.A.; Fenick A.; Krahn, D.D.	Obsessionality in eating-disorder patients: relationship to clinical presentation and two-year outcome	J. Psychiat. Res.	29; 333-342; 1995	(G)
M. de Zwaan D. O. Nutzinger	Binge eating in overweight women	Comprehensive Psychiatry	33; 4; 256-261; 1992	(O)
M. de Zwaan J.E. Mitchell	Eating related and general psychopathology in obese females with binge eating	Int. Journal of Eating Disorders	15; 1; 43-52 1993	(O)
M. de Zwaan J.E. Mitchell	Binge eating disorder: Clinical features and treatment of a new diagnosis	Harvard Rev. Psychiatry	1; 310-325 1994	(O)

M. de Zwaan M. Bach	Alexithymia, obesity and binge eating disorder	Int. Journal of Eating Disorders	17;2; 135-140 1995 (O)
de Zwaan, M.	Therapie von Essstörungen	Psychotherapeut	41; 275-287; 1993 (G)